



		Clear-Air	Clear-Air-Grids	LowE-Air	LowE-Air-Grids	LowE-Argon	LowE-Argon-Grids	LowE-Argon-Foam	LowE-Argon-Foam-Grids	Triple-LowE(#2,#5)-Argon	Triple-LowE(#2,#5)-Argon-Grids	Triple-LowE(#2,#5)-Krypton	Triple-LowE(#2,#5)-Krypton-Grids	Triple-LowE(#2,#5)-Argon-Foam	Triple-LowE(#2,#5)-Argon-Grids-Foam	Triple-LowE(#2,#5)-Krypton-Foam
--	--	-----------	-----------------	----------	----------------	------------	------------------	-----------------	-----------------------	--------------------------	--------------------------------	----------------------------	----------------------------------	-------------------------------	-------------------------------------	---------------------------------

<b>201 Single Hung</b>	U-Value	0.46	0.46	0.32	0.32	0.28	0.28	0.27	0.27	0.24	0.25	0.19	0.2	0.22	0.23	0.17	0.18
DP - 55	SHGC	0.63	0.56	0.38	0.34	0.37	0.34	0.37	0.34	0.32	0.29	0.32	0.29	0.32	0.29	0.32	0.29
Air - 0.02 cfm/ft²	VT	0.65	0.58	0.56	0.50	0.56	0.50	0.56	0.50	0.44	0.39	0.44	0.39	0.44	0.39	0.44	0.39
Water - 8.25 psf	CR	46	46	58	58	62	62	62	62	68	68	68	68	69	69	74	74
<b>201 Slider</b>	U-Value	0.46	0.46	0.32	0.32	0.28	0.28	0.27	0.27	0.24	0.25	0.19	0.2	0.23	0.24	0.17	0.18
DP - 35	SHGC	0.63	0.56	0.38	0.34	0.37	0.34	0.37	0.34	0.32	0.29	0.32	0.29	0.32	0.29	0.32	0.29
Air - 0.06 cfm/ft²	VT	0.65	0.58	0.56	0.50	0.56	0.50	0.56	0.50	0.44	0.39	0.44	0.39	0.44	0.39	0.44	0.39
Water - 6.75 psf	CR	46	46	59	59	63	63	63	63	68	68	69	69	69	69	73	73
<b>600 DH</b>	U-Value	0.46	0.46	0.32	0.32	0.29	0.29	0.27	0.27	0.25	0.26	0.2	0.2	0.23	0.24	0.17	0.18
DP - 50	SHGC	0.62	0.55	0.37	0.33	0.37	0.33	0.37	0.33	0.31	0.28	0.31	0.28	0.31	0.28	0.31	0.28
Air - 0.03 cfm/ft²	VT	0.64	0.57	0.55	0.49	0.55	0.49	0.55	0.49	0.43	0.39	0.43	0.39	0.43	0.39	0.43	0.39
Water - 7.5 psf	CR	45	45	58	58	62	62	62	62	65	65	68	68	66	66	73	73
<b>600 DS</b>	U-Value	0.45	0.45	0.31	0.31	0.28	0.28	0.26	0.26	0.24	0.25	0.19	0.19	0.22	0.23	0.17	0.18
DP - 40	SHGC	0.61	0.54	0.36	0.33	0.36	0.33	0.36	0.33	0.31	0.28	0.31	0.28	0.31	0.28	0.31	0.28
Air - 0.06 cfm/ft²	VT	0.63	0.56	0.55	0.49	0.55	0.49	0.55	0.49	0.43	0.38	0.43	0.38	0.43	0.38	0.43	0.38
Water - 6.75 psf	CR	46	46	59	59	62	62	62	62	67	67	72	72	69	69	75	75
<b>900 DH</b>	U-Value	0.45	0.45	0.33	0.33	0.29	0.29	0.26	0.26	0.25	0.26	0.21	0.21	0.22	0.23	0.17	0.18
DP - 50	SHGC	0.58	0.52	0.35	0.32	0.35	0.31	0.35	0.31	0.30	0.27	0.30	0.27	0.30	0.27	0.30	0.27
Air - 0.03 cfm/ft²	VT	0.61	0.54	0.52	0.47	0.52	0.47	0.52	0.47	0.41	0.36	0.41	0.36	0.41	0.36	0.41	0.36
Water - 7.5 psf	CR	46	46	58	58	62	62	62	62	65	65	66	66	66	66	74	74
<b>900 DS</b>	U-Value	0.45	0.45	0.32	0.32	0.29	0.29	0.26	0.26	0.25	0.26	0.20	0.21	0.22	0.23	0.17	0.18
DP - 50	SHGC	0.56	0.50	0.34	0.31	0.34	0.31	0.34	0.31	0.29	0.26	0.29	0.26	0.29	0.26	0.29	0.26
Air - 0.10 cfm/ft²	VT	0.59	0.52	0.51	0.45	0.51	0.45	0.51	0.45	0.40	0.36	0.40	0.36	0.40	0.36	0.40	0.36
Water - 7.5 psf	CR	46	46	58	58	62	62	62	62	67	67	68	68	68	68	74	74
<b>500 Casement</b>	U-Value	0.39	0.39	0.28	0.28	0.25	0.25	0.24	0.24	0.18	0.18	0.16	0.16	0.16	0.17	0.14	0.14
DP - 60	SHGC	0.51	0.46	0.31	0.28	0.31	0.28	0.31	0.28	0.26	0.24	0.26	0.24	0.26	0.24	0.26	0.26
Air - <0.01 cfm/ft²	VT	0.53	0.48	0.46	0.42	0.46	0.42	0.46	0.42	0.36	0.33	0.36	0.33	0.36	0.33	0.36	0.36
Water - 12.0 psf	CR	46	46	60	60	64	64	64	64	77	77	81	81	78	78	82	82
<b>751 Casement</b>	U-Value					0.28	0.28	0.25	0.25	0.24	0.25	0.19	0.2	0.21	0.22	0.17	0.17
DP - 70	SHGC					0.34	0.31	0.34	0.31	0.29	0.26	0.29	0.26	0.29	0.26	0.29	0.26
Air - <0.01 cfm/ft²	VT					0.50	0.46	0.50	0.46	0.40	0.36	0.40	0.36	0.4	0.36	0.4	0.36
Water - 12.0 psf	CR					63	63	65	65	66	66	73	73	69	69	77	77
<b>851 Double Hung</b>	U-Value					0.29	0.30										
DP - 45	SHGC					0.28	0.25										
Air - 0.13 cfm/ft²	VT					0.50	0.44										
Water - 7.5 psf	CR					59	59										
<b>3101 Patio</b>	U-Value	0.46	0.46	0.31	0.31	0.28	0.28			0.23	0.24	0.18	0.18				
DP - 35	SHGC	0.66	0.59	0.40	0.35	0.40	0.35			0.34	0.30	0.34	0.3				
Air - 0.04 cfm/ft²	VT	0.69	0.61	0.60	0.53	0.60	0.53			0.47	0.42	0.47	0.42				
Water - 6.0 psf	CR	45	45	58	58	61	61			66	66	67	67				
<b>2000 Patio</b>	U-Value	0.45	0.45	0.31	0.31	0.28	0.28			0.24	0.25	0.18	0.19				
DP - 30	SHGC	0.62	0.55	0.38	0.33	0.38	0.33			0.32	0.29	0.32	0.29				
Air - 0.04 cfm/ft²	VT	0.66	0.58	0.57	0.50	0.57	0.50			0.45	0.39	0.45	0.39				
Water - 6.0 psf	CR	47	47	59	59	63	63			66	66	66	66				

Based on test results current as of 09/12/2016